


a.) Amendment to the Claims

Claims 1-10 (Cancelled).

11. (Previously Presented) A benzoyl compound represented by formula (IA):



{ wherein

nA represents an integer of 1 to 5;

R<sup>1A</sup> represents substituted or unsubstituted lower alkyl, substituted or unsubstituted lower alkoxy, substituted or unsubstituted cycloalkyl, substituted or unsubstituted lower alkoxy carbonyl, substituted or unsubstituted heterocyclic alkyl, substituted or unsubstituted aryl, CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup> independently represent a hydrogen atom, substituted or unsubstituted lower alkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted lower alkanoyl, substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, substituted or unsubstituted aralkyl, substituted or unsubstituted heterocyclic alkyl, or substituted or unsubstituted aroyl, or R<sup>7</sup>

and R<sup>8</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom) or NR<sup>9</sup>R<sup>10</sup> (wherein R<sup>9</sup> and R<sup>10</sup> have the same meanings as the above R<sup>7</sup> and R<sup>8</sup>, respectively);

R<sup>2A</sup> represents substituted or unsubstituted aryl;

R<sup>3A</sup>, R<sup>4A</sup> and R<sup>5A</sup> each represent a hydrogen atom; and

R<sup>6A</sup> represents halogen or lower alkyl, and

wherein (i) substituents in the substituted lower alkyl, the substituted lower alkoxy and the substituted lower alkoxycarbonyl are 1 to 3 substituents which are the same or different selected from the group (A) consisting of hydroxy, oxo, cyano, nitro, carboxy, amino, halogen, substituted or unsubstituted lower alkoxy, cycloalkyl, lower alkanoyl, lower alkoxycarbonyl, lower alkylamino and di-lower alkylamino, wherein substituents in said substituted lower alkoxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy and halogen, and

(ii) substituents in the substituted cycloalkyl, the substituted heterocyclic alkyl, the substituted aryl, the substituted lower alkanoyl, the substituted heterocyclic group, the substituted aralkyl, the substituted aroyl and the substituted heterocyclic group formed together with the adjacent nitrogen atom are 1 to 3 substituents which are the same or different selected from the group (B) consisting of hydroxy, halogen, nitro, cyano, amino, carboxy, carbamoyl, substituted or unsubstituted lower alkyl, substituted or unsubstituted lower alkoxy, aralkyloxy, lower alkylsulfonyl, lower alkylsulfanyl, cycloalkyl, lower alkoxycarbonyl, lower alkylamino, di-lower alkylamino, lower alkanoyl,

a heterocyclic group, substituted or unsubstituted aryl, substituted or unsubstituted heterocyclic alkyloxy and substituted or unsubstituted heterocyclic carbonylalkyloxy, wherein substituents in said substituted lower alkyl, said substituted lower alkoxy and said substituted aryl are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkoxy, cyano, lower alkylamino and di-lower alkylamino, and substituents in said substituted heterocyclic alkyloxy and said substituted heterocyclic carbonylalkyloxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkyl, lower alkoxy and a heterocyclic group},

or a pharmaceutically acceptable salt thereof.

12. (Previously Presented) The benzoyl compound according to claim 11, wherein  $R^{2A}$  is aryl substituted by 1 to 3 substituents which are the same or different selected from the group (B), or a pharmaceutically acceptable salt thereof.

Claims 13 and 14 (Cancelled).

15. (Previously Presented) The benzoyl compound according to claim 11 or 12, wherein  $R^{1A}$  is  $CONR^7R^8$ , or a pharmaceutically acceptable salt thereof.

16. (Previously Presented) The benzoyl compound according to claim 11 or 12, wherein  $R^{6A}$  is lower alkyl, or a pharmaceutically acceptable salt thereof.

17. (Previously Presented) A pharmaceutical composition comprising, as an active ingredient, the benzoyl compound according to claim 16 or a pharmaceutically acceptable salt of said benzoyl compound, together with a pharmaceutically acceptable carrier.

Claims 18-31 (Cancelled).

32. (Currently Amended) The benzoyl compound according to claim 11, wherein


$n_A$  is 1,

$R^{1A}$  is  $CONR^{7a}R^{8a}$  (wherein  $R^{7a}$  and  $R^{8a}$  independently represent lower alkyl substituted by ~~hydroxyl~~ hydroxy or lower alkoxy), and

$R^{6A}$  is lower alkyl,

or a pharmaceutically acceptable salt thereof.


33. (Previously Presented) The benzoyl compound according to claim



32, wherein  $R^{2A}$  is

(wherein  $R^{2a}$  represents substituted or unsubstituted lower alkoxy, and  $R^{2b}$  represents substituted or unsubstituted heterocyclic alkyloxy, wherein substituents in said substituted lower alkoxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkoxy, cyano, lower alkylamino and di-lower alkylamino, and substituents in said substituted heterocyclic alkyloxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkyl, lower alkoxy and a heterocyclic group), or a pharmaceutically acceptable salt thereof.

34. (Previously Presented) The benzoyl compound according to claim




32, wherein  $R^{2A}$  is

(wherein  $R^{2a}$  represents substituted or unsubstituted lower alkoxy, and  $R^{2b}$  represents substituted or unsubstituted heterocyclic alkyloxy, wherein substituents in said substituted lower alkoxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkoxy, cyano, lower alkylamino and di-lower alkylamino, and substituents in said substituted heterocyclic alkyloxy are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy,

halogen, lower alkyl, lower alkoxy and a heterocyclic group), or a pharmaceutically acceptable salt thereof.

35. (Previously Presented) The benzoyl compound according to claim



(wherein R<sup>2b1</sup> represents substituted or unsubstituted morpholino or substituted or unsubstituted piperidino, wherein substituents in said substituted morpholino and said substituted piperidino are 1 to 3 substituents which are the same or different selected from the group consisting of hydroxy, halogen, lower alkyl, lower alkoxy and a heterocyclic group), or a pharmaceutically acceptable salt thereof.

36. (Previously Presented) A pharmaceutical composition comprising, as an active ingredient, the benzoyl compound according to either one of claims 11 or 12, or a pharmaceutically acceptable salt of said benzoyl compound, together with a pharmaceutically acceptable carrier.

37. (Previously Presented) A pharmaceutical composition comprising, as an active ingredient, the benzoyl compound according to claim 15, or a

pharmaceutically acceptable salt of said benzoyl compound, together with a pharmaceutically acceptable carrier.

38. (Previously Presented) A pharmaceutical composition comprising, as an active ingredient, the benzoyl compound according to any one of claims 32 to 35, or a pharmaceutically acceptable salt of said benzoyl compound, together with a pharmaceutically acceptable carrier.